


The meriT-2 Study

Study Highlights

- Principal Investigator: Dr. Ashok Seth
- Clinical follow-up at 5-year and angiographic follow-up at 8-month
- The meriT-2 study has established the safety and efficacy of BioMime SES in complex patients



❖ Study design

A multicenter, prospective, non-randomized, single-arm study



250 patients were enrolled at 11 centres across India



Clinical follow-up at 1-month, 6-month, 8-month, 12-month, 36-month and 60-month



Angiographic follow-up at 8-month

Analysed by Cardiovascular Research Centre, Sao Paulo, Brazil

❖ Results




Figure 1: Baseline angiographic data of study population




Figure 2: Cumulative clinical events up to 12 months for patients receiving the study stent

❖ References

1. ClinicalTrials.gov Identifier: NCT02406326
<https://clinicaltrials.gov/ct2/show/NCT02406326?term=BioMime&cond=Coronary+Artery+Disease&rank=4>
2. CTRI Number: CTRI/2016/11/007440
<http://ctri.nic.in/Clinicaltrials/pmaindet2.php?trialid=15739&EncHid=&userName=>
3. Abreu-Silva Ed, Costa R, Seth A, Kaul U, Mathew SK, Wander G, et al. TCT-650 Impact of the New BioMime™ Sirolimus-Eluting Stent in Complex Patients of Daily Practice – Preliminary Results of the MeriT-2 Study. *Journal of the American College of Cardiology*. 2012;60(17 Supplement):B189.
4. Abreu-Silva Ed, Costa R, Seth A, Kaul U, Mathew SK, Wander G, et al. TCT-650 Impact of the New BioMime™ Sirolimus-Eluting Stent in Complex Patients of Daily Practice – Preliminary Results of the MeriT-2 Study. *Journal of the American College of Cardiology*. 2012;60(17 Supplement):B189.
5. Costa RA, Abizaid A, Dani S, Joshi H, Wander GS, Hardas S, et al. TCT-212 Efficacy of the Novel BioMime Sirolimus-Eluting Stents with a Biodegradable Polymer in the Treatment of De Novo Coronary Lesions: An Angiographic Subanalysis of the Combined meriT-1 and meriT-2 Prospective Clinical Trials. *Journal of the American College of Cardiology*. 2013;62(18 Supplement 1):B68.
6. Seth A, Wander GS, Mulasari A, Nanjappa MC, Heggunde-Shetty P, Alexander T, et al. Late angiographic and clinical outcomes of the novel BioMime™ sirolimus-eluting coronary stent with ultra-thin cobalt-chromium platform and biodegradable polymer for the treatment of diseased coronary vessels: results from the prospective, multicentre meriT-2 clinical trial. *AsiaIntervention*. 2016;2:19-27.
7. Seth A, Wander G, Sankardas MA, Nanjappa MC, Heggunde PS, Alexander T, et al. CRT-700.04 Three-year Clinical Outcomes Of Biomime Sirolimus-eluting Coronary Stent System With A Biodegradable Polymer In Coronary Artery Disease Patients: A Long-term Follow-up Of The meriT-2 Study. *JACC: Cardiovascular Interventions*. 2017;10(3 Supplement):S58.